

# Mississippi County Profile



## 

This report provides a summary of current prevalence and trends in Mental Health, substance use and related outcomes for Jackson County, Mississippi.

## **Socio economic and Demographic Estimates**

Depolation (4 physics 6.2)		
Population % change: <b>6.3</b>		
Socio-Economic Indicators		
% Rural: 32.3		
Median household Income: 48197		
% Below poverty level: 14.1		
% Children in Single parent hhds:35		
% Children in Poverty : 20		
% on Free Lunch:		
Unemployment Rate: 8.3		
High School Graduation (AFGR): 65		
County Health Rankings (2011)		
Health Factors: 16		
Health outcomes: 15		

## **Mental Health Indicators**

#### **Substance Abuse and Dependence**

Adolescents
Past 30 day use Adolescents

(2010)

Alcohol: **27.23**Tobacco:**17.77**Marijuana:**13.22** 

Prescription drugs:**7.78**Other Illicit drugs:**11.27** 

Try crack cocaine regularly

Rank highest Prevalence (1) to lowest (82)

Alcohol Rank: **20**Tobacco Rank: **31**Marijuana Rank: **11**Prescriptions Rank: **9** 

Illicit Drugs Rank: 13

Adults

% Adult Current Smokers: 27% Excessive Drinking: 14% Binge Drinkers: 13

% Past 30 day use of ATOD 12 or older:

## **Total Substance Abuse Treatment Admissions (2010):5**

Alcohol: 3 Marijuana: 0 Methamphetamine:0

Percention of Rick of harm among 6<sup>th</sup> 11<sup>th</sup> grade stude

Heroin: 0 Cocaine: 2 Other Opiates: 0

Perception of Risk of harm among 6"-11" grade students					
	slight/ moderate risk	Great risk			
Taking one or 2 drinks nearly everyday	58.65	23.13			
Trying one or 2 drinks of alcohol	53.19	13.31			
Take four or five drinks nearly everyday	37.04	49.05			
5+ Drinks once or twice each weekend	30.68	54.18			
1 or more packs of cigarettes per day	32.22	54.22			
Use smokeless Tobacco regularly	43.46	40.56			
Try marijuana once or twice	44.58	30			
Smoke marijuana occasionally	39.32	40.25			
Smoke marijuana regularly	20.51	60.72			
Try cocaine powder once or twice	38.92	46.66			
Try crack cocaine once or twice	37.85	48.36			
Try cocaine powder occasionally	26.61	60.75			
Try cocaine powder regularly	11.95	75.2			
Try crack cocaine occasionally	29.06	58.25			

### Perceptions of use by peers

Percent Reporting use by at least one of their

friends

Alcohol: **51.24**Tobacco: **45.44**Other Drugs: **33.8** 

#### **Personal Approval**

Percent reporting use is very wrong or wrong

Alcohol:**72.38**Tobacco:**81.62**Other Drugs:**94.64**Marijuana:**83.33** 

#### **Perceived Parental Approval**

Percent reporting use is very wrong or wrong

Alcohol: **86.56**Tobacco: **93.81**Marijuana: **94.67** 

76.67

10.32

#### **Other Health Behaviors and Outcomes**

% Adults reporting poor or fair health: 19

Mean physically unhealthy days/month: 3.9

Incidence rate of Liver Cancer(2004-2008):

% Low birth weight: 10.3

Teen birth rate per 1000 female (15-19): 60

HIV Rate: 213 Adult obesity: 34

\*\*Years of potential life lost before age 75 per 100,000 population

## Crime

Homicides per 100,000 populations: 11

Total Juvenile Arrests: 1032

#### **Mortality and Injury**

Premature death\*\*: 11005

2011 MVC death rate/100,000: 25

Suicide related deaths:

#### **Health care**

Mental Health Region:14

% Uninsured Adults: 23 Medicare Enrollees: 26613

Number of Mental Health Providers:5

#### **Data Sources:**

Census Bureau, 2010; MS Department of Mental Health Substance Abuse Treatment data;

Robert wood Johnson Foundation, 2011 County health ranking data

Mississippi Smarttrack Survey, 2010

Note: All rates are per 100000. Rates are age-adjusted to the 2000 U.S. Standard Million Population.

Data accessed November 29, 2011. Based on data released February 8, 2011.

~ Counts are suppressed if fewer than 5 cases were reported in the specified category.

\*\*\* missing data or Counts < 15 ( too few to calculate a stable age-adjusted rate)

The population estimates for 2005 are adjusted to account for population shifts due to Hurricane Katrina